



UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

APPLICATION NUMBER	FILING DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NO.
--------------------	-------------	-----------------------	---------------------

EXAMINER _____

ART UNIT _____ PAPER NUMBER _____

DATE MAILED:

This is a communication from the examiner in charge of this application.

COMMISSIONER OF PATENTS AND TRADEMARKS

NOTICE OF ALLOWABILITY

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance and Issue Fee Due or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

This communication is responsive to _____ *1 - 15*

The allowed claim(s) is/are _____

The drawings filed on _____ are acceptable as formal drawings.

Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

All Some* None of the:
 Certified copies of the priority documents have been received.
 Certified copies of the priority documents have been received in Application No. _____
 Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

*Certified copies not received:
 Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE FOR SUBMITTING NEW FORMAL DRAWINGS, OR A SUBSTITUTE OATH OR DECLARATION. ~~This three-month period for complying with the requirement for the deposit of biological material is extendable under 37 CFR 1.406(e).~~

Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL APPLICATION, PTO-152, which discloses that the oath or declaration is deficient. A SUBSTITUTE OATH OR DECLARATION IS REQUIRED.

Applicant MUST submit NEW FORMAL DRAWINGS
 because the originally filed drawings were declared by applicant to be informal.
 including changes required by the Notice of Draftsperson's Patent Drawing Review, PTO-948, attached hereto or to Paper No. _____
 including changes required by the proposed drawing correction filed on _____, which has been approved by the examiner.
 including changes required by the attached Examiner's Amendment/Comment or in the Office action of Paper No. _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings.

Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Any reply to this notice should include, in the upper right hand corner, the APPLICATION NUMBER (SERIES CODE/SERIAL NUMBER). If applicant has received a Notice of Allowance and Issue Fee Due, the ISSUE BATCH NUMBER and DATE of the NOTICE OF ALLOWANCE should also be included.

Attachment(s)

Notice of References Cited, PTO-892
 Information Disclosure Statement(s), PTO-1449, Paper No(s). _____
 Notice of Draftsperson's Patent Drawing Review, PTO-948
 Notice of Informal Patent Application, PTO-152
 Interview Summary, PTO-413
 Examiner's Amendment/Comment
 Examiner's Comment Regarding Requirement for the Deposit of Biological Material
 Examiner's Statement of Reasons for Allowance

The following is an examiner's statement of reasons for allowance:

Stellaccio (U.S. Patent 4,525,175) discloses a process for the production of synthesis gas wherein steam is introduced to a burner through a central conduit, a slurry of solid carbonaceous fuel is introduced to the burner in a second conduit, and high velocity streams of free-oxygen containing gas are introduced to the burner through a third and an outer conduit. (See especially column 3, lines 12-28.) There is no teaching, disclosure or suggestion in Stellaccio to introduce the hydrocarbon feedstream through the third conduit and one of the free-oxygen containing gas streams through the second conduit. Nor would there be any motivation from the prior art to do so. Applicant's specification discloses in the paragraph bridging pages 8 and 9 that the configuration of sandwiching the hydrocarbon stream between the two oxygen streams provides better conversion with heavy feeds by providing for increase atomization and better mixing of the feedstock with the oxygen containing gas, and that sending water down the central conduit of the feed injector allows the feedstock to stay hot and avoids mixing and cooling of the feedstock with water that could decrease viscosity and lower conversion.

Any comments considered necessary by applicant must be

Art Unit 1754

submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Wayne A. Langel whose telephone number is (571) 272-1353. The examiner can normally be reached on Monday through Friday from 8 A.M. to 3:30 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stanley Silverman, can be reached on (571) 272-1358. The fax phone number for this Group is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either private PAIR or public PAIR. Status information for unpublished applications is available through private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Serial No. 10/002,510

- 4 -

Art Unit 1754

WAL:cdc

March 17, 2004

Wayne A. Langel
WAYNE A. LANGEL
PRIMARY EXAMINER